


Dreamscape

Outdoor Living & Garden

**Distributing Professional
Grade Landscape Edging Products**



Making beautiful, functional landscapes requires knowledge, preparation, and hard work. Helping these designs withstand the test of time, requires Dreamscape aluminum edging.

Distributing a complete line of aluminum landscape edging, Dreamscape products add crisp, clean lines to any landscape design.

When specifying Dreamscape aluminum edging, a designer can be confident that their design will remain the way it was intended for a lifetime.

Why Aluminum Edging?

- Lifetime performance makes the cost of aluminum edging lower than any other product.
- The resilient flexibility of aluminum allows for smoother curves.
- Crisp, straight lines can be achieved with minimal effort.
- High strength aluminum alloy withstands years of maintenance abuse, and is non-toxic with excellent corrosion resistance and high thermal conductivity. Aluminum edging is environmentally friendly & recycled.
- Long and wide grooved stakes help reduce the effects of frost heaving.
- Aluminum edging is light weight, forms easily and can be cut to length with minimal effort at the construction site lowering installation costs so budgets can be maintained.
- Aluminum edging will never rust, crack, rot or become brittle.




Why Dreamscape Aluminum Edging?


1. Our fully rigid and grooved design allows edging to retain solid grip in the ground.
2. Dual punch out pockets for stakes allow stakes to be driven down in a straight line.
3. Wider more rigid stake design will ensure a lifetime of performance.
4. Extra long stakes are available when extra depth is required for sandy soil.
5. End stake adapters that allow for adding stakes at all start and stop points, and provide extra strength.
6. Superior locking system. Dual stakes to ensure locking remains permanent.
7. No overlapping of edging. A Dreamscape connection allows for true crisp lines and an invisible connection.
8. No compromise on thickness of residential or commercial edging.
9. We offer superior customer service. Most orders are shipped the same day with 100% on time delivery.
10. WIN/WIN: Receive both quality and price. A superior product.



Aluminum Edging – Available Sizes



End Stake Adapter



Dual Stake Locking System

1/8" x 4"

Primarily used in residential and light commercial applications where greater flexibility is desired. Prolonged straight runs are possible but will require additional labor. Applications include, but are not limited to, planting beds, tree rings, paver walkways and paths. Edging is packaged 15 pieces (240') per box (16 ft sections) or 15 pieces (120') per box (8 ft sections).

1/8" x 5.5"

Similar applications as 1/8" x 4" but used where additional depth would be beneficial. Edging is packaged 15 pieces (240') per box (16 ft sections).

3/16" x 4"

Primarily used in commercial, industrial, institutional projects, and other high traffic areas. Straight runs are easier than with 1/8" material with only slightly reduced flexibility. Applications include, but are not limited to, driveways, asphalt, maintenance strips, running tracks, and pathways. Edging is packaged 10 pieces (160') per box (16 ft sections).

3/16" x 5.5"

Similar applications as 3/16" x 4" but used where additional depth would be beneficial. Edging is packaged 10 pieces (160') per box (16 ft sections).

*All sizes available in Mill Finish and Black Anodized.
Green, Brown, & Black Paint available in 1/8"x 4" Sizes (8 ft & 16 ft).*

The Bottom Line:

Dreamscape Aluminum Edging...

- Retains the designers original intent
- Can be installed with ease, and creates beautiful curves
- Has unmatched performance
- Has the greatest longevity of all other edging products
- Has basically no maintenance
- Allows you to stay within the landscaping budget



Creates Beautiful Curves

Versus Other Edging...

Steel Edging: Rusts; Corrodes; Is not suitable for marine environments; Very heavy; Hard to bend and cut; Steel prices can be unstable.

Wood Edging: Splinters; Rots; Fades; Weathers; Attracts insects; Is hard to create curves.

Vinyl & Plastic Edging: Becomes Brittle over time; Is less resistant to material and mechanical wear; Has a large degree of thermal expansion; Is not UV stable; Are not as crisp in appearance.

Available Finishes

Brown Paint


Green Paint

Black Paint or Anodized

Mill Finish

Dreamscape
Outdoor Living & Garden

Distributing Professional
Grade Landscape Edging Products



Aluminum Landscape Edging Specifications & Technical Data

I. General

1.01 Description

Landscape edging as a border between planting beds, pathways, drives, mulch & rock division, or anywhere separation and definition is required.

1.02 Submittals

Manufacturer's literature along with a sample 3" section of specified size and finish if requested.

1.03 Delivery

Can be coordinated by calling a Dreamscape representative at 1-866-939-4300 or emailing info@dreamscapeproduct.com. Material should be ordered and accepted in original shipping cartons of standard size. Please note quantities per box on inside of brochure. Material should be stored in a flat area with boxes protected from rain.

II. Product

2.01 Product

As distributed by Dreamscape Outdoor Living & Garden, a North American distribution company, located out of Michigan, USA and Ontario, Canada. Edging to be in 16' or 8' sections.

2.02 Material

Edging to be manufactured from 6063 extruded aluminum alloy of T-6 hardness with interlocking system and 5 stake punch-outs fabricated in each 16' strip or 3 stake punch-outs for each 8' strip.

2.03 Locking System

Sections to lock together without offset or double thickness at the joints and secured with two 12" stakes at every joint.

2.04 Thickness (Size)

Aluminum edging available in 1/8" thickness for residential or light commercial applications where flowing curves are desired. Applications include, but are not limited to, bed division, walkways, and light brick paver work.

3/16" thickness is available for commercial, industrial, and institutional applications where strength and durability are a concern. Applications include, but are not limited to, walkways, asphalt borders, running tracks, and maintenance strips.

2.05 Depth

Aluminum edging of either thickness available in 4" or 5.5" depths.

2.06 Finish

Mill finish constitutes a natural aluminum finish as found on extruded parts.

Black anodized is available in all sizes. Finish is not a paint but rather a die that is electrically absorbed into the outer layers of the metal.

Painted finish available in black, brown, or green paint. Available in 1/8" x 4" size only (both 8 ft & 16 ft sections).

2.07 Stakes

Stakes to be a minimum of 12" long, secured 1/2" below top of edging, and locked into place. Stakes to be placed on inside of bed areas.

III. Execution

3.01 Site Inspection

Check to ensure that all underground lines, irrigation hoses, and other cables are installed below the maximum depth of edging to be used.

3.02 Trench

Edge all landscape beds, maintenance strips, and/or where noted on design plan. Define the area to be edged using string, garden hose, or paint. Using a spade or mechanical trencher, cut a trench along area to be defined to depth so top of edging will not exceed 1/2" above finished grade.

3.03 Installation

Install edging with radius edge and ridges pointing up. Stake pockets should be on inside of bed.

3.04 Staking/Connecting



5 stakes per 16' section and 3 stakes per 8' section are included with material. Stakes are to lock 1/2" below top of edging and to be placed in every available pocket.

3.05 End Stake Adapters

Use supplied end stake adapters at all start/stop points as well as to splice pieces of cut edging together.

3.06 Back Filling

Back fill on both sides of edging during installation, leaving no more than two sections unsupported at one time. Compact back fill along edging ensuring that top edge is no more than 1/2" above finish grade.



Architect Specifications:

All Aluminum landscape edging shall be _____ thick X _____ deep X _____ long with _____ stakes per section, having a _____ finish as painted or anodized at the factory, as distributed by Dreamscape Outdoor Living & Garden, Inc.

Distributed By:

Dreamscape Outdoor Living & Garden, Inc.

Customer Service: customerservice@dreamscapeproduct.com

Information: info@dreamscapeproduct.com

Sales: sales@dreamscapeproduct.com

Toll Free: 1-866-939-4300

Website: www.dreamscapeproduct.com